

ATLAS COPCO

M2D

Lighting Design Simulation Report




Model No.	Luminaire	Optic Type	Quantity
CP24-MEDIUM-MPB-ELV	CP24 Flood Light	Medium Optics	4



MODEL CP24
OPTIC MEDIUM
ANGLE ▼ 0°
DIRECTION 0°

MODEL CP24
OPTIC MEDIUM
ANGLE ▼ 0°
DIRECTION 0°



MODEL CP24
OPTIC MEDIUM
ANGLE ▼ 0°
DIRECTION 0°

MODEL CP24
OPTIC MEDIUM
ANGLE ▼ 0°
DIRECTION 0°





Light loss/maintenance factor: 0,85
Ambient temperature: 35°C




Model No.	Luminaire	Optic Type	Quantity
CP12-60-MEDIUM-ELV	CP12 Flood Light	Medium Optics	4



MODEL CP12
OPTIC MEDIUM
ANGLE ▼ 0°
DIRECTION 0°

MODEL CP12
OPTIC MEDIUM
ANGLE ▼ 0°
DIRECTION 0°

MODEL CP12
OPTIC MEDIUM
ANGLE ▼ 0°
DIRECTION 0°

MODEL CP12
OPTIC MEDIUM
ANGLE ▼ 0°
DIRECTION 0°





Light loss/maintenance factor: 0.85
Ambient temperature: 35°C

